



It's not about the look
of your garage,
it's about the look
of your home



Garage doors come of age

The garage door, as we know it, dates back to the invention of the automobile and the need for somewhere to store it. Early motor cars were housed in stables, along with the horses, but this soon fell from favour as owners wanted their vehicles to not only be a “horseless carriage” but to smell horseless too.

As more and more people began owning cars, the need for “a new type of outbuilding” arose and the garage was born. Purpose-designed doors came soon after, with the first overhead model appearing in 1921.

Things have moved on quite a bit since then; these days automation, lighting, modern materials and a wide range of design options make your garage door an important choice.

It's not just a garage door, it's the portal to your home

The modern garage door is the main access point for your home (which raises safety and security questions.) It's also a design feature that often dominates your home's street frontage.

20% of your street appeal

Did you realise your garage door accounts for about 20% of the facade of your home? With more profiles, colours and options than ever, there's an opportunity to turn it into a feature. For instance, did you know your garage door can be made to exactly match your roof colour?

Each garage door is custom-made, so you can consider yours as a unique opportunity to express yourself, as you would with any other choice in your home.

Garage doors are no longer just a case of 'open and shut'!





Wellington Garage Doors are powered by Merlin FROM THE WORLD'S NO. 1

Merlin is a brand of the Chamberlain Group, the world's largest manufacturer of garage door openers. Chamberlain products are technically advanced, highly reliable, and are sold with respected warranties.

The global experience and innovation of the Chamberlain Group has resulted in industry-leading designs and products that are acclaimed as among the most efficient, durable and reliable of any on the market.

Merlin has more than 30 years' experience serving New Zealanders. We take compliance issues *seriously* and ensure that all Merlin models meet New Zealand standards.

Our garage door openers are safe, with built-in entrapment protection. They are also quiet, powerful, and energy-efficient, using less than 1W in standby mode.

Each installation is completed with a comprehensive garage door and opener checklist, to be safe and to be sure.

All Merlin products comply with the ANZ 60335.2.95.2012 standard.



Wireless security keypad E840M



4 button Premium+ remote E960M



3 button keyring remote E945M



Universal add on receiver (1000 user) STAR1000EVO



2 button keyring remote control M842



Battery back up E475M-12V

Five outstanding openers from Merlin



Merlin PowerAce™

Suitable for sectional doors, this energy-efficient opener is designed with the latest security and multi-frequency technology onboard.

Included accessories: 4-Button Premium Remote; Wireless Wall Button

- New Security+2.0 remote transmitters select strongest frequency, with encrypted rolling code
- Safety reversing system – if door obstructed while closing, it stops & reverses; while opening, it stops
- Energy-efficient LED lights switch on when door activated, switch off after 2.5 minutes
- PowerAce™ uses 75% less standby energy
- Ventilation mode: stop door at any height
- Quiet, powerful DC motor
- 5-year, 10,000 cycle warranty



Merlin Tiltmaster®

Designed especially for tilt doors (also suitable for sectional doors), this opener is quiet, powerful and reliable. Offers highest level of security.

Included accessories: 4-Button Premium Remote; Wireless Wall Button

- New Security+2.0 remote transmitters select strongest frequency, with encrypted rolling code
- Safety reversing system – if door obstructed while closing, it stops & reverses; while opening, it stops
- Variable speed: Tiltmaster® automatically selects best speed for type of door
- Energy-efficient LED lights switch on when door activated, switch off after 2.5 minutes
- Tiltmaster® uses 75% less standby energy
- Ventilation mode: stop door at any height
- 7-year/15,000 cycle warranty



Merlin WhisperDrive®

The ultimate sectional door opener that is the benchmark for its class.

Included accessories: Wireless Security Keypad; 3-Button Keyring Remote; Wireless Wall Button

- New Security+2.0 remote transmitters select strongest frequency, with encrypted rolling code
- Safety reversing system – if door obstructed while closing, it stops & reverses; while opening, it stops
- Evercharge battery backup ensures power outage won't affect operation
- WhisperDrive® uses 75% less standby energy
- Ventilation mode: stop door at any height
- Quiet, fast, powerful DC motor
- 7-year warranty



Merlin Commander MyQ™

MyQ technology allows for the monitoring and control of your garage door opener away from home. This enhanced technology is provided through the Merlin MyQ app or mymerlin websites on either your smartphone, tablet or computer.

Included accessories: 4-Button Premium Remote; Wireless Wall Button

- New Security +2.0 technology inside the remote is designed to communicate on multiple frequencies with the latest Security+2.0 encrypted rolling code
- Receive alerts & notifications: For complete piece of mind knowing you are always in control when away from home with MyQ technology
- Safety reversing system – your safety and property protection is assured. If door obstructed while closing, it stops & reverses
- Variable speed: Commander MyQ automatically selects the speed based on the door type
- 7-year warranty



Merlin MJ3800™

This innovative opener is installed beside the door, leaving garage ceiling clear.

Included accessories: 3-Button Keyring Remote; 24V Evercharge Battery Standby; Wireless Wall Button

- Safety reversing system – if door obstructed while closing, it stops & reverses; while opening, it stops
- Automatic force sensing determines amount of power needed to operate door
- Soft Start/Stop technology ensures smooth & quiet operation
- If power fails, simply activate manual release to open door
- Automatic electronic locking when door closes
- Automatic close can be set at 1 to 10 minutes
- 5-year, 10,000 cycle warranty

Residential Profiles

Sandon

The deep horizontal ribs across the Sandon provides strength and rigidity over wider widths to help keep our home secure. Woodgrain embossing or an optional smooth finish allows the Sandon to suit most styles of architecture.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Power Ace
Colour range	Ebony, Desert Sand, Grey Friars, Ironsand, Karaka, Lichen, Lignite, Mist green, New Denim Blue, Permanent Green, Pioneer Red, Sandstone Grey, Scoria, Titania, Gull Grey, FlaxPod®



Sandon Textured



Sandon Smooth



The residential range is available in insulated and uninsulated styles in 0.55 thickness material.



Residential Profiles


Harford

The Harford is a rugged steel sectional garage door roll-formed to produce a secure and dependable entry point to your garage or building. The option of woodgrain embossing or a smooth finish complements most modern building styles.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Power Ace
Colour range	Ebony, Desert Sand, Grey Friars, Ironsand, Karaka, Lichen, Lignite, Mist green, New Denim Blue, Permanent Green, Pioneer Red, Sandstone Grey, Scoria, Titania, Gull Grey, FlaxPod®



Harford Smooth



Harford Textured



The residential range is available in insulated and uninsulated styles in 0.55 thickness material.



Residential Profiles

Plateau

A low maintenance replica weatherboard style garage door. Offering a chunky deep profile to give the look of strength and style.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Power Ace
Colour range	Ebony, Desert Sand, Grey Friars, Ironsand, Karaka, Lichen, Lignite, Mist green, New Denim Blue, Permanent Green, Pioneer Red, Sandstone Grey, Scoria, Titania, Gull Grey, FlaxPod®



Smooth



Ribbed



Textured



The residential range is available in insulated and uninsulated styles in 0.55 thickness material.



Architectural Profiles

Duke

This modern style is increasingly popular with todays architectural style homes. Also available in .75 and .95mm material. Powdercoat colour finish and available with Negative Detail.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Power Ace
Colour range	Ebony, Desert Sand, Grey Friars, Ironsand, Karaka, Lichen, Lignite, Mist green, New Denim Blue, Permanent Green, Pioneer Red, Sandstone Grey, Scoria, Titania, Gull Grey, FlaxPod®



Smooth



The architectural range is available in insulated and uninsulated styles in 0.55 thickness material.



Architectural Profiles

Cargill

Cargill features panels that appear as long narrow strips, echoing the horizontal look for traditional weatherboard. This door has a stylish simplicity that looks good on almost any home.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Power Ace
Colour range	Ebony, Desert Sand, Grey Friars, Ironsand, Karaka, Lichen, Lignite, Mist green, New Denim Blue, Permanent Green, Pioneer Red, Sandstone Grey, Scoria, Titania, Gull Grey, FlaxPod®



Smooth



The architectural range is available in insulated and uninsulated styles in 0.55 thickness material.



Platinum Range - Negative Detail

Negative Detail profile
Simplistic, stylish modern design, a door with a defined negative detail is one of the best looking garage doors you can buy. Bold negative detailing gives your home street appeal that will make your property stand out from the crowd.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Tilt Master
Powdercoated / Dulux Durrallloy colours	



NEGATIVE DETAIL SECTIONAL DOOR
The Platinum range is available in insulated and uninsulated styles in 0.55 to 0.95 thickness material.

Platinum Range - V Line

V-Line profile
Smooth finish with a deep V groove to give the door a bold strong look of sophistication.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Tilt Master
Powdercoated / Dulux Durrallloy colours	



V-LINE SECTIONAL DOOR
The Platinum range is available in insulated and uninsulated styles in 0.55 to 0.95 thickness material.



Cedar Sectional Doors

HORIZONTAL CEDAR DOOR

A cedar door made up of parallel horizontal boards that are sympathetic with the look of traditional weatherboards. Available cedar boarders to suite. Windows are also a available to let in natural light. Options to leave natural, stain or paint are also available.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin WhisperDrive
Bespoke sizes available for special orders	



Tilt a Doors

PRESSED METAL DOOR

Used where headroom is not available. Options in style, colour and cladding to suite any application from new homes to existing to stand alone garages.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Tilt Master
Bespoke sizes available for special orders	



PLYWOOD DOOR

A plywood door is designed to complement existing and new homes with style and strength. Available with a negative detail, ply or cedar boarders to suite. Options to leave natural, stain or paint are also available.

Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin WhisperDrive
Bespoke sizes available for special orders	



BESPOKE TIMBER DOOR

Used where headroom is not available. Options in style, colour and cladding to suite any application from new homes to existing to stand alone garages.


Width	1.7 - 6.05 metres
Height	1.92 - 3.0 metres
Motor	Merlin Tilt Master
Bespoke sizes available for special orders	



Door Construction

Residential sectional door construction

- .55mm Gauge colour steel
- Roll formed panels with 1mm gauge galv vertical braces
- 1mm roll formed horizontal braces.
- All vertical braces glued to roll formed skin to avoid door rattle.
- Powder coat option available.
- Insulation options available



Architectural sectional doors construction

- .55mm Gauge colour steel
- .75mm and .9mm gauge also available
- Roll formed panels with 1mm gauge galv vertical braces
- 3 top hat sections bonded to panel skin to maintain a flat smooth look.
- 1mm roll formed horizontal braces.
- All vertical braces glued to roll formed skin to avoid door rattle.
- Powder coat option available.
- Insulation options available



Cedar sectional door construction

- Welded box section frame.
- TG&V western red cedar glued and stapled to plywood strips.
- Natural or staining option available
- Insulation options available.
- Frame can be hot dipped galvanised for coastal conditions.


Plywood section door construction

- Welded box section frame.
- Plywood glued and galvanised fixed to steel frame.
- Natural or staining option available
- Insulation options available.
- Frame can be hot dipped galvanised for coastal conditions.


A modern palette to complement your home




Karaka



Gull Grey




Permanent Green



Mist Green




Lichen



FlaxPod®



Ironsand




Lignite



Desert Sand



Grey Friars



New Denim Blue




Sandstone Grey




Titania



Scoria



Pioneer Red



Ebony


Note: On a printed page it's impossible to get an exact colour match for acrylic finishes.
Swatches shown are a guide rather than an accurate colour representation.

Before making a final decision on colour, we recommend you view manufacturer colour samples.




Sectional Panelift

Wellington
Garage Doors are
the garage door
experts




NOGGING DETAIL FOR SECTIONAL UP TO 2.2M HIGH (TRACK AND MOTOR FIXINGS)



Note: The details shown are for 2.28m Maximum height Sectional Door with Standard 330mm Headroom. Also for Intermediate Headroom of 220mm with springing to front.

NOGGING DETAIL FOR SECTIONAL 2210 – 2800M HIGH (TRACK AND MOTOR FIXINGS)



Note: The details shown are for 2.75m Maximum height Sectional Door with Standard 330mm Headroom. Also for Intermediate Headroom of 220mm with springing to front. Measurements for motor with 2.5m C-Rail, add 1m when using a 1m extension.

Warranty Information

A warranty you can count on

All of Wellington Garage Doors qualify for a minimum of two years warranty on all materials and manufacture. In addition to this certain parts may be warranted for a further period; this includes motors that in some cases carry a full seven year warranty.

A network of reliable, professional, installers

A garage door only works as well as the people who install it, which is why Wellington Garage Doors maintain a network of skilled techs with market leading training in all aspects of garage doors to provide a full “end to end” installation and maintenance service.


They begin with timely, expert installation, cover or going servicing (including the critical 12 monthly service) and have comprehensive fault-finding processes – in the unlikely event they’re needed.

Professionalism and reliability are the two guiding principles of being an installer for wellington garage doors.. It helps them stand out in an industry notorious for fly-by-night operators.

Every employee of wellington garage doors can also make this promise to customers: “We won’t install a door that isn’t right for your situation”. Simple but important.

www.wellingtongaragedoors.co.nz





Wellington Garage Doors

P 04 499 4455

31 Jarden Mile
Ngauranga, Wellington
PO Box 44135
Lower Hutt 5040

Residential Garage Door Specialists
www.wellingtongaragedoors.co.nz
Info@wellingtongaragedoors.co.nz